	Туре	Ref #	Hits	Search Text	DBs
1	IS&R	S2	710	(200/33b,33d,573,574).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	S3	1725	(200/47,334).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S4	5	"5373122"   "5552570").PN. OR	US-PGPUB; USPAT; USOCR
4	BRS	S5	4	"4179944"   "5346045").PN. OR	US-PGPUB; USPAT; USOCR
5	BRS	S6	13	("3192349"   "3369087"   "4137432"   "4307799"   "4727762"   "4763219"   "4889002"   "4910419"   "5579899"   "5620078"   "5673019").PN. OR ("5890585").URPN.	US-PGPUB; USPAT; USOCR
6	BRS	S7	8	, ·	US-PGPUB; USPAT; USOCR
7	BRS	S8	10		US-PGPUB; USPAT; USOCR
8	BRS	S9	7	"3937912"   "5005923").PN. OR	US-PGPUB; USPAT; USOCR
9	BRS	S10	5	•	US-PGPUB; USPAT; USOCR
10	BRS	S11	14	!"?640131"   "?843689"	US-PGPUB; USPAT; USOCR

	Туре	Ref #	Hits	Search Text	DBs
11	IS&R	S13	49466	("246").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	S15	425	(246/449,220).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S16	12	("2740041"   "5116006"   "5192038"   "5292091").PN. OR ("5669587").URPN.	US-PGPUB; USPAT; USOCR
14	BRS	S17	8	("2740041").URPN.	USPAT
15	IS&R	S18	49469	("246").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S19	2016	S18 and (limit adj switch sensor position adj (indicat\$3 detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S20	17	("0669816"   "1293290"   "2278213"   "2740041"   "3621237").PN. OR ("4093163").URPN.	US-PGPUB; USPAT; USOCR
18	BRS	S21	514	rod adj assembly and housing and (sensor detector) and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Туре	Ref #	Hits	Search Text	DBs
19	IS&R	S22	10	(("4814739") or ("4455921") or ("4580117") or ("4800678") or ("4901046") or ("5199583") or ("5209649") or ("5531408") or ("5620078") or ("4280604")).PN.	USPAT
20	IS&R	S23	10	(("4344453") or ("4401419") or ("4423400") or ("4428552") or ("4436106") or ("4448110") or ("4808777") or ("4896905") or ("4937402") or ("5199658")).PN.	USPAT
21	IS&R	S24	10	(("5208574") or ("5220362") or ("5265569") or ("5265920") or ("5316382") or ("5326946") or ("5374016") or ("5464328") or ("5520521") or ("5601483")).PN.	USPAT
22	IS&R	S25	10	(("5749458") or ("5789821") or ("5802747") or ("5810096") or ("5963610") or ("5977873") or ("6148651") or ("4263592") or ("4280031") or ("4322082")).PN.	USPAT
23	IS&R	S26	10	(("4340189") or ("4356364") or ("4356802") or ("4366911") or ("4394886") or ("4400670") or ("4433222") or ("4453421") or ("4467650") or ("4487340")).PN.	USPAT
24	BRS	S27	11	(position adj detector) and switch and sensor and vertical and transverse and flank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	S28	1	(end adj position adj detector) and switch and rod and (housing casing) and longitudinal and movable adj switch and seal\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	S29	1	<pre>(end adj position adj detector) with (switch sensor) same (vertical transverse longitudinal)</pre>	US-PGPUB
27	BRS	S30	1	<pre>(position adj detector) same (movable adj switch) with (housing seal\$2 flank)</pre>	US-PGPUB